

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Trade name	: Formic acid 98% AGR, ACS, Ph. Eur
Chemical name	: formic acid ... %
IUPAC name	: formic acid
EC Index-No.	: 607-001-00-0
EC-No.	: 200-579-1
CAS-No.	: 64-18-6
REACH registration No	: 01-2119491174-37
Product code	: FORA-A0A
Formula	: CH2O2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category	: Laboratory use
-------------------	------------------

1.3. Details of the supplier of the safety data sheet

labbox labware s.l.
Migjorn, 1
P.O. Box Barcelona (SPAIN)
08338 Premia de Dalt, SPAIN
ES
T +34 937 07 79 70, F +34 937 909 532
info@labbox.com, www.labbox.com

1.4. Emergency telephone number

Emergency number	: +34 937 077 970 (For technical information_Office Hours) In case of medical emergency phone 112 or to your local emergency number.
------------------	--

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Acute toxicity (oral), Category 4	H302
Acute toxicity (inhalation:gas) Category 3	H331
Skin corrosion/irritation, Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Full text of H and EUH statements: see section 16	

Specific concentration limits (%):

(2 ≤ C < 10)	Eye Irrit. 2; H319
(2 ≤ C < 10)	Skin Irrit. 2; H315
(10 ≤ C < 90)	Skin Corr. 1B; H314
(90 ≤ C < 100)	Skin Corr. 1A; H314

Adverse physicochemical, human health and environmental effects

No additional information available

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H331 - Toxic if inhaled.

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P233 - Keep container tightly closed.
P240 - Ground and bond container and receiving equipment.
P241 - Use explosion-proof electrical/ventilating/lighting equipment.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P264 - Wash hands, forearms and face thoroughly after handling.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance type

: Mono-constituent

Name	Product identifier	%
Formic acid 98%	CAS-No.: 64-18-6 EC-No.: 200-579-1 EC Index-No.: 607-001-00-0 REACH-no: 01-2119491174-37	≥ 99

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a physician immediately.

First-aid measures after skin contact : After contact with skin, wash immediately with plenty of propylene glycol 400 (Roticlean). Take off contaminated clothing. Call a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Consult an eye specialist.

First-aid measures after ingestion : Give water to drink. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Carbon dioxide. Dry powder.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.
Hazardous decomposition products in case of fire : Hazardous gas/vapours are formed in the event of decomposition (see section 10).

5.3. Advice for firefighters

No additional information available

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not inhale vapour.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Collect spillage. Take up liquid spill into absorbent material.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a well-ventilated place. Keep container tightly closed.
Storage conditions : Keep in fireproof place. Heat sources.
Storage area : Store away from heat.

7.3. Specific end use(s)

Laboratory chemicals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Formic acid
IOEL TWA	9 mg/m ³
	5 ppm

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)	
France - Occupational Exposure Limits	
Local name	Acide formique
VME (OEL TWA)	9 mg/m ³
	5 ppm
Remark	Valeurs règlementaires indicatives
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Ameisensäure
AGW (OEL TWA)	9,5 mg/m ³
	5 ppm
Remark	DFG,EU,Y
Italy - Occupational Exposure Limits	
Local name	Acido formico
OEL TWA	9 mg/m ³
	5 ppm
Portugal - Occupational Exposure Limits	
Local name	Ácido fórmico
OEL TWA	5 ppm
OEL STEL	10 ppm
Spain - Occupational Exposure Limits	
Local name	Ácido fórmico
VLA-ED (OEL TWA)	9 mg/m ³
	5 ppm
Remark	VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios: http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf)
United Kingdom - Occupational Exposure Limits	
Local name	Formic acid
WEL TWA (OEL TWA)	9,6 mg/m ³
	5 ppm

DNEL and PNEC

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	19 mg/m ³
Long-term - local effects, inhalation	9,5 mg/m ³

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)	
DNEL/DMEL (General population)	
Acute - local effects, inhalation	9,5 mg/m³
Long-term - local effects, inhalation	3 mg/m³
PNEC (Water)	
PNEC aqua (freshwater)	2 mg/l
PNEC aqua (marine water)	0,2 mg/l
PNEC aqua (intermittent, freshwater)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	13,4 mg/kg dwt
PNEC sediment (marine water)	1,34 mg/kg dwt
PNEC (Soil)	
PNEC soil	1,5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	7,2 mg/l

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Do not inhale vapour.

Personal protection equipment

Personal protective equipment:

EN 374.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Chemical goggles or face shield

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

protective gloves

Respiratory protection

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Molecular mass	: 46,03 g/mol
Odour	: Irritating.

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Odour threshold	: Not available
Melting point	: -8 °C
Freezing point	: Not available
Boiling point	: 100,23 °C Atm. press.: 1013,25 hPa
Flammability	: 520 °C
Lower explosion limit	: 18 vol %
Upper explosion limit	: 38 vol %
Flash point	: 49,5 °C Atm. press.: 1013,25 hPa
Auto-ignition temperature	: Not available
Decomposition temperature	: 350 °C
pH	: < 2,2 (10 g/l H2O sol.)
Viscosity, kinematic	: 1,47 mm²/s (20 °C, OCDE 114)
Viscosity, dynamic	: 1,8 mPa·s (20 °C, OCDE 114)
Solubility	: Soluble.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Partition coefficient n-octanol/water (Log Pow)	: -2,3 – -1,9 (Valor experimental, Método A.8 de la UE, 23 °C)
Vapour pressure	: 42,71 hPa (20 °C, OCDE 104)
Vapour pressure at 50 °C	: 171 hPa (OCDE 104)
Saturation concentration	: 80 g/m³ (20 °C)
Density	: Not available
Relative density	: 1,2195 Type: 'relative density' Temp.: 20 °C
Relative vapour density at 20 °C	: 1,6
Relative density of saturated gas/air mixture	: 1
Particle characteristics	: Not applicable

9.2. Other information

Information with regard to physical hazard classes

Critical temperature : 315 °C

Other safety characteristics

VOC content : 100 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Heating may cause an explosion.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (inhalation) : Inhalation:gas: Toxic if inhaled.

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)

LD50 oral rat	730 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 618 - 863
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat (mg/l)	7,85 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation : Causes severe skin burns.

pH: < 2,2 (10 g/l H2O sol.)

Serious eye damage/irritation : Causes serious eye damage.

pH: < 2,2 (10 g/l H2O sol.)

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)

NOAEL (chronic, oral, animal/male, 2 years)	400 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
---	---

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)

LOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0,244 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)

Aspiration hazard : Not classified

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)

Viscosity, kinematic	1,47 mm²/s (20 °C, OCDE 114)
----------------------	------------------------------

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)

LC50 - Fish [1]	130 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Daphnia [1]	365 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1240 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	> 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)

NOEC (chronic)	≥ 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
----------------	---

12.2. Persistence and degradability

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

Formic acid 98% AGR, ACS, Ph. Eur (64-18-6)

Partition coefficient n-octanol/water (Log Pow)	-2,3 – -1,9 (Valor experimental, Método A.8 de la UE, 23 °C)
---	--

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Must follow special treatment according to local regulation.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR)	: UN 1779
UN-No. (IMDG)	: UN 1779
UN-No. (IATA)	: UN 1779
UN-No. (ADN)	: UN 1779
UN-No. (RID)	: UN 1779

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: FORMIC ACID
Proper Shipping Name (IMDG)	: FORMIC ACID
Proper Shipping Name (IATA)	: Formic acid
Proper Shipping Name (ADN)	: FORMIC ACID
Proper Shipping Name (RID)	: FORMIC ACID
Transport document description (ADR) (ADR)	: UN 1779 FORMIC ACID, 8 (3), II, (D/E)
Transport document description (IMDG)	: UN 1779 FORMIC ACID, 8 (3), II
Transport document description (IATA)	: UN 1779 Formic acid, 8 (3), II
Transport document description (ADN)	: UN 1779 FORMIC ACID, 8 (3), II
Transport document description (RID)	: UN 1779 FORMIC ACID, 8 (3), II

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)

: 8 (3)

Danger labels (ADR)

: 8, 3

:



IMDG

Transport hazard class(es) (IMDG)

: 8 (3)

Danger labels (IMDG)

: 8, 3

:



IATA

Transport hazard class(es) (IATA)

: 8 (3)

Danger labels (IATA)

: 8, 3

:



ADN

Transport hazard class(es) (ADN)

: 8 (3)

Danger labels (ADN)

: 8, 3

:



RID

Transport hazard class(es) (RID)

: 8 (3)

Danger labels (RID)

: 8, 3

:



14.4. Packing group

Packing group (ADR)

: II

Packing group (IMDG)

: II

Packing group (IATA)

: II

Packing group (ADN)

: II

Packing group (RID)

: II

14.5. Environmental hazards

Dangerous for the environment

: No

Marine pollutant

: No

EmS-No. (Fire)

: F-E

EmS-No. (Spillage)

: S-C

Other information

: No supplementary information available

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: CF1
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T7
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 83
Orange plates	:



Tunnel restriction code (ADR)	: D/E
EAC code	: •2W
APP code	: A(fl)

Transport by sea

Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2
Segregation (IMDG)	: SGG1, SG36, SG49
Properties and observations (IMDG)	: Colourless flammable liquid with a pungent odour. Pure FORMIC ACID: flashpoint 42°C c.c. Corrosive to most metals. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
ERG code (IATA)	: 8F

Inland waterway transport

Classification code (ADN)	: CF1
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1

Rail transport

Classification code (RID)	: CF1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions (RID) : TP2
Tank codes for RID tanks (RID) : L4BN
Special provisions for RID tanks (RID) : TU42
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE6
Hazard identification number (RID) : 83

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on
3.	Formic acid 98% AGR, ACS, Ph. Eur
3(a)	Formic acid 98% AGR, ACS, Ph. Eur
3(b)	Formic acid 98% AGR, ACS, Ph. Eur

REACH Annex XIV (Authorisation List)

Formic acid 98% AGR, ACS, Ph. Eur is not on the REACH Annex XIV List

REACH Candidate List (SVHC)

Formic acid 98% AGR, ACS, Ph. Eur is not on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

{0} is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

{0} is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (2024/590)

Not listed on the Ozone Depletion list (Regulation EU 2024/590)

Dual-Use Regulation (428/2009)

Not listed on the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

VOC Directive (2004/42)

VOC content : 100 %

Explosives Precursors Regulation (2019/1148)

Not listed on the Explosives Precursors list (EU)

Drug Precursors Regulation (273/2004)

Not listed on the Drug Precursors list (EU)

National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV).

Formic acid 98% AGR, ACS, Ph. Eur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).

VOC content : 100 %

Netherlands

SZW-lijst van kankerverwekkende stoffen : The substance is not listed
SZW-lijst van mutagene stoffen : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Class for fire hazard : Class II-1
Store unit : 5 liter
Classification remarks : R10 <H226;H302;H314;H331>; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.